Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the

application. Please cancel Claims 2 and 12 without prejudice or disclaimer. Please add

Claims 21-22 and amend Claims 1, 3, 9-11, and 13-20 as indicated in the following Listing

of Claims.

Listing of Claims

1. (Currently amended) A polyolefin composition having high resistance to degradation

comprising:

at least one polyolefin comprising a polymerization product of one or more

monomers in the presence of a transition metal halide catalyst comprising

a metal halide compound selected from metal dihalides or metal

hydroxyhalides and a transition metal compound;

bis(2,4-dicumylphenyl)pentaerythritol diphosphite;

triisopropanolamine;

[[a]] at least one hydrotalcite component, and

at least one phenol component present in the composition in an amount up to

about 5000 mg/kg based on the mass of the polyolefin component without

additives.

2. (Cancelled)

3. (Currently amended) The polyolefin composition of Claim [[2]] 1, wherein the

monomers are selected from olefins, conjugated or non-conjugated diolefins or mixtures thereof.

WCSR 2266948v1

Amendment and Response to Office Action dated March 17, 2006

Application No. 10/736,385

Filed: December 15, 2003

Page 4 of 12

4. (Original) The polyolefin composition of Claim 1, wherein bis(2,4-

dicumylphenyl)pentaerythritol diphosphite is present in the composition in an amount within a

range of about 100 mg/kg to about 5000 mg/kg based on the mass of the polyolefin component

without additives.

5. (Original) The polyolefin composition of Claim 1, wherein bis(2,4-

dicumylphenyl)pentaerythritol diphosphite is present in the composition in an amount within a

range of about 100 mg/kg to about 2000 mg/kg based on the mass of the polyolefin component

without additives.

6. (Original) The polyolefin composition of Claim 1, wherein bis(2,4-

dicumylphenyl)pentaerythritol diphosphite is present in the composition in an amount within a

range of about 100 mg/kg to about 1500 mg/kg based on the mass of the polyolefin component

without additives.

7. (Original) The polyolefin composition of Claim 1, wherein triisopropanolamine is present

in the composition in an amount within a range of about 0.5 % by weight to about 3 % by weight

based on the mass of the polyolefin component without additives.

8. (Original) The polyolefin composition of Claim 1, wherein triisopropanolamine is present

in the composition in an amount within a range of about 0.5 % by weight to about 2 % by weight

based on the mass of the polyolefin component without additives.

9. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

hydrotalcite component is present in the composition in an amount up to about 500 mg/kg based

on the mass of the polyolefin component without additives.

Amendment and Response to Office Action dated March 17, 2006

Application No. 10/736,385

Filed: December 15, 2003

Page 5 of 12

10. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

hydrotalcite component is present in the composition in an amount within a range of about 10

mg/kg to about 300 mg/kg based on the mass of the polyolefin component without additives.

11. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

hydrotalcite component is present in the composition in an amount within a range of about 10

mg/kg to about 150 mg/kg based on the mass of the polyolefin component without additives.

12. (Cancelled)

13. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

phenol component is present in the composition in an amount within a range of about 1 mg/kg to

about 2000 mg/kg based on the mass of the polyolefin component without additives.

14. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

hydrotalcite components component is selected from Mg_{0.7}Al_{0.3}(OH)₂(CO₃)_{0.15}•0.54H₂O,

 $Mg_{4.5}Al_2(OH)_{13}CO_3 \cdot 3.5H_2O,$ $MgCO_3 \cdot Mg(OH)_2 \cdot 2A1(OH)_3 \cdot 4H_2O$

 $MgCO_35Mg(OH)_22Al(OH)_3 \cdot 4H_2O$, or $Mg_{4,2}Al_2(OH)_{12,4}CO_3 Mg_{4,2}Al_2(OH)_{12,4}CO_3$.

15. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

phenol component is selected from monophenols, bisphenols, thiobisphenols, polyphenols,

hydroxybenzyl aromates, amides of β -(3,5-di-tert-butyl-4-hydroxyphenyl)-propionic acid,

esters of β-(3,5-di-tert-butyl-4-hydroxyphenyl)-propionic acid with mono- or polyvalent

alcohols, spiro compounds, or mixtures thereof.

16. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

phenol component is selected from tetrakis [methylene (3,5-di-tert-butyl-4-

hydroxyhydrocinnamate)]methane;

1,3,5-tri-(3,5-di-tert-butyl-4-hydroxybenzyl)-2,4,6-

Amendment and Response to Office Action dated March 17, 2006

Application No. 10/736,385

Filed: December 15, 2003

Page 6 of 12

trimethylbenzene; β-(3,5-di-tert-butyl-4-hydroxyphenyl)-propionic acid-n-octadecyl ester; 2,6-

di-tert-butyl-4-methylphenol; 3,9-bis-[1,1-dimethyl-2-(3,5-di-tert-butyl-4-hydroxy-phenyl)-

ethyl]-2,4,8,10-tetraoxaspiro-[5,5]-undecane, or mixtures thereof.

17. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

hydrotalcite component is MgCO₃5Mg(OH)₂2A1(OH)₃•4H₂O

 $MgCO_35Mg(OH)_22Al(OH)_3 \cdot 4H_2O$.

18. (Currently amended) The polyolefin composition of Claim 1, wherein the at least one

phenol component is tetrakis [methylene (3,5-di-tert-butyl-4-hydroxyhydrocinnamate)]methane.

19. (Currently amended) The polyolefin composition of Claim [[1]] 3, wherein the olefins are

selected from ethylene, propylene, 1-butene, 1-pentene, 4-methyl-1-pentene, 1-hexene, 1-octene

or mixtures thereof.

20. (Currently amended) The polyolefin composition of Claim [[1]] 3, wherein the

conjugated or non-conjugated diolefins are selected from 1,3-butadiene, isoprene, piperylene,

2.3-dimethyl-1.3-butadiene, 1,4-pentadiene, 1,7-hexadiene or mixtures thereof.

21. (New) The polyolefin composition of Claim 1, wherein the at least one hydrotalcite

component is a magnesium-aluminum hydroxide compound, a zinc-aluminum hydroxide

compound, or a mixture thereof.

22. (New) The polyolefin composition of Claim 1, further comprising at least one agent

selected from antifogging agents, antimicrobial agents, coupling agents, flame retardants,

foaming agents, fragrances, lubricants, mold release agents, organic peroxides, smoke

suppressants, heat stabilizers, or any combination thereof.

WCSR 2266948v1